

**TITLE XV: LAND USAGE**

**Chapter**

**152. FLOODPLAIN ZONING**



## CHAPTER 152: FLOODPLAIN ZONING

### Section

#### *General Provisions*

152.001	Statutory authorization
152.002	Finding of fact
152.003	Statement of purpose
152.004	Title
152.005	Abrogation and greater restrictions
152.006	Interpretation
152.007	Warning and disclaimer of liability
152.008	Definitions

#### *Regulations in General*

152.015	Areas to be regulated
152.016	Official map
152.017	Establishment of districts
152.018	Locating floodplain boundaries
152.019	Removal of lands from floodplain
152.020	Compliance
152.021	Municipalities and state agencies regulated
152.022	Annexed areas
152.023	General standards applicable to all floodplain districts
152.024	Mobile homes and manufactured homes
152.025	Watercourse alterations
152.026	Development

#### *Floodway District (FW)*

152.040	Applicability
152.041	Permitted uses
152.042	Standards for development in Floodway areas
152.043	Prohibited uses

#### *Flood Fringe District (FF)*

152.055	Applicability
---------	---------------

- 152.056 Permitted uses
- 152.057 Standards for development in Flood Fringe areas

*General Floodplain District (GFP)*

- 152.070 Applicability
- 152.071 Permitted uses
- 152.072 Standards for development in the General Floodplain District
- 152.073 Determining floodway and flood fringe limits

*Nonconforming Uses*

- 152.085 General
- 152.086 Floodway areas
- 152.087 Flood Fringe areas

*Administration and Enforcement*

- 152.100 General
- 152.101 Zoning Administrator
- 152.102 Zoning agency
- 152.103 Board of Appeals
- 152.104 To review appeals of permit denials
- 152.105 Floodproofing
- 152.106 Public information
- 152.107 Amendments
- 152.108 Enforcement
  
- 152.999 Penalty

*Editor's note:*

*This chapter was established by Ordinance 441. The date of this ordinance is not available.*

**GENERAL PROVISIONS**

**§ 152.001 STATUTORY AUTHORIZATION.**

This chapter is adopted pursuant to the authorization contained in Wis. Stats. §§ 62.23 and 87.30. (1989 Code, § 18.01)

**§ 152.002 FINDING OF FACT.**

The uncontrolled development and use of the floodplains, rivers or streams of the city would adversely affect the public health, safety, convenience and general welfare and impair the tax base. (1989 Code, § 18.02)

**§ 152.003 STATEMENT OF PURPOSE.**

The purpose of this chapter is to provide a uniform basis for the preparation, implementation and administration of sound floodplain regulations for all floodplains within the city to:

- (A) Protect life, health and property;
  - (B) Minimize expenditures of public moneys for costly flood-control projects;
  - (C) Minimize rescue and relief efforts generally undertaken at the expense of the tax-paying public;
  - (D) Minimize business interruptions, which usually result in the loss of local income;
  - (E) Minimize damage to public facilities on the floodplains, such as water mains, sewer lines, streets and bridges;
  - (F) Minimize the occurrence of future flood blight areas on floodplains;
  - (G) Discourage the victimization of unwary land and home buyers; and
  - (H) Prevent increases in regional flood heights that could increase flood damage and may result in conflicts or litigation between property owners.
- (1989 Code, § 18.03)

**§ 152.004 TITLE.**

This chapter shall be known as the Floodplain Zoning Ordinance for the City of Mineral Point, Iowa County, Wisconsin. (1989 Code, § 18.04)

**§ 152.005 ABROGATION AND GREATER RESTRICTIONS.**

(A) This chapter supersedes provisions of any city zoning ordinance enacted under Wis. Stats. §§ 62.23 and 87.30, which relate to floodplains, except that where another ordinance is more restrictive than the provisions contained in this chapter, that ordinance shall continue in full force and effect to the extent of the greater restrictions, but not otherwise.

(B) This chapter is not intended to repeal, abrogate or impair any existing deed restrictions, covenants or easements; however, where this chapter imposes greater restrictions, this chapter shall prevail.

(1989 Code, § 18.17)

### **§ 152.006 INTERPRETATION.**

In their interpretation and application, the provisions of this chapter shall be held to be minimum requirements, shall be liberally construed in favor of the Common Council and shall not be deemed a limitation or repeal of any other powers granted by the state statutes. Where a provision of this chapter is required by a standard in Wis. Adm. Code, Ch. NR 116, and where the provision is unclear, the provision shall be interpreted in light of the Ch. 116 standards in effect on the date of the adoption of this chapter or on the date of the most recent text amendment to this chapter.

(1989 Code, § 18.18)

### **§ 152.007 WARNING AND DISCLAIMER OF LIABILITY.**

The degree of flood protection provided by this chapter is considered reasonable for regulatory purposes and is based on engineering experience and scientific methods of study. Larger floods may occur or the flood height may be increased by manmade or natural causes, such as ice jams and bridge openings restricted by debris. Therefore, this chapter does not imply that areas outside of the delineated floodplain or permitted land uses within the floodplain will be totally free from flooding and associated flood damages, nor does this chapter create a liability on the part of or a cause of action against the city or any officer or employee thereof for any flood damage that may result from reliance on this chapter.

(1989 Code, § 18.19)

### **§ 152.008 DEFINITIONS.**

Unless specifically defined below, words and phrases used in this chapter shall have the same meaning as they have at common law and to give this chapter its most reasonable application. Words used in the present tense include the future; the singular number includes the plural and the plural number includes the singular.

*A ZONES.* Those areas shown on the city's official floodplain zoning map, as defined herein, which would be inundated by the regional flood, as defined herein. These areas may be numbered or unnumbered *A ZONES*. The *A ZONES* may or may not be reflective of flood profiles, depending on the availability of data for a given area.

*ACCESSORY STRUCTURE OR USE.* A detached subordinate structure or a use which is clearly incidental to and customarily found in connection with the principal structure or use to which it is related and which is located on the same lot as that of the principal structure or use.

**BUILDING.** See definition of structure.

**BULKHEAD LINE.** A geographic line along a reach of navigable water that has been adopted by city ordinance and approved by the Department of Natural Resources pursuant to Wis. Stats. § 30.11, and which allows complete filling between this **BULKHEAD LINE** and the original ordinary high watermark, except where such filling is prohibited by the floodway provisions of this chapter.

**CERTIFICATE OF COMPLIANCE.** A certification issued by the Zoning Administrator stating that the construction and the use of land or a building, the elevation of fill or the lowest floor of a structure is in compliance with all of the provisions of this chapter.

**CHANNEL.** A natural or artificial watercourse with definite bed and banks to confine and conduct the normal flow of water.

**DEPARTMENT.** The State Department of Natural Resources.

**DEVELOPMENT.** Any artificial change to improved or unimproved real estate, including but not limited to the construction of buildings, structures or accessory structures; the construction of additions or substantial improvements to buildings, structures or accessory structures; the placement of buildings or structures; mining, dredging, filling, grading, paving, excavation or drilling operations; and the storage, deposition or extraction of materials, public or private sewage disposal systems or water supply facilities.

**DRY LAND ACCESS.** A vehicular access route which is above the regional flood elevation and which connects land located in the floodplain to land outside the floodplain, such as a road with its surface above regional flood elevation and wide enough for wheeled rescue and relief vehicles.

**ENCROACHMENT.** Any fill, structure, building, use or development in the floodway.

**EXISTING MOBILE HOME PARK or MOBILE HOME SUBDIVISION.** A parcel (or contiguous parcels) of land divided into 2 or more mobile home lots for rent or sale on which the construction of facilities for servicing the lots (including, at a minimum, the installation of utilities, either final site grading or the pouring of concrete pads and the construction of streets) is completed before the effective date of this chapter.

**FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA).** The federal agency that administers the National Flood Insurance Program. This agency was previously known as the Federal Insurance Administration (FIA) or Department of Housing and Urban Development (HUD).

**FLOOD or FLOODING.** A general and temporary condition of partial or complete inundation of normally dry land areas caused by:

- (1) The overflow or rise of inland waters;
- (2) The rapid accumulation or runoff of surface waters from any source;

(3) The inundation caused by waves or currents of water exceeding anticipated cyclical levels along the shore of Lake Michigan or Lake Superior; or

(4) The sudden increase caused by an unusually high water level in a natural body of water accompanied by a severe storm or by an unanticipated force of nature, such as a seiche or by some similarly unusual event.

*FLOOD FREQUENCY.* The probability of a flood occurrence. A *FLOOD FREQUENCY* is generally determined from statistical analyses. The frequency of a particular flood event is usually expressed as occurring on the average once in a specified number of years or as a percent chance of occurring in any given year.

*FLOOD FRINGE.* That portion of the floodplain outside of the floodway which is covered by floodwaters during the regional flood and generally associated with standing water rather than rapidly flowing water.

*FLOOD HAZARD BOUNDARY MAP.* A map prepared by FEMA designating approximate flood hazard areas. Flood hazard areas are designated as unnumbered A Zones and do not contain floodway lines or regional flood elevations. This map forms the basis for both the regulatory and insurance aspects of the National Flood Insurance Program.

*FLOOD INSURANCE STUDY.* A technical engineering examination, evaluation and determination of the local flood hazard areas. It provides maps designating those areas affected by the regional flood and provides both flood insurance rate zones and regional flood elevations and may provide floodway lines. The flood hazard areas are designated as numbered and unnumbered A Zones. *FLOOD INSURANCE STUDY* maps form the basis for both the regulatory and the insurance aspects of the National Flood Insurance Program.

*FLOOD PROFILE.* A graph or a longitudinal profile line showing the relationship of the water surface elevation of a flood event to locations of land surface elevations along a stream or river.

*FLOOD PROTECTION ELEVATION.* An elevation 2 feet of freeboard above the water surface profile elevation designated for the regional flood. (Also see definition of freeboard.)

*FLOOD STORAGE.* Those floodplain areas where storage of floodwaters has been taken into account in reducing the regional flood discharge.

*FLOODPLAIN.* The land which has been or may be hereafter covered by floodwater during the regional flood. The *FLOODPLAIN* includes the floodway and the flood fringe and may include other designated *FLOODPLAIN* areas for regulatory purposes.

*FLOODPLAIN ISLAND.* A natural geologic land formation within the floodplain that is surrounded, but not covered, by floodwater during the regional flood.



**FLOODPLAIN MANAGEMENT.** The full range of public policy and action for ensuring wise use of floodplains. It includes everything from the collection and dissemination of flood data to the acquisition of floodplain lands and the enactment and administration of codes, ordinances and statutes for land use in the floodplain.

**FLOODPROOFING.** Any combination of structural provisions, changes or adjustments to properties and structures, water and sanitary facilities and contents of buildings subject to flooding for the purpose of reducing or eliminating flood damage.

**FLOODWAY.** The channel of a river or stream and those portions of the floodplain adjoining the channel required to carry the regional flood discharge.

**FREEBOARD.** A flood protection elevation requirement designed as a safety factor which is usually expressed in terms of a specified number of feet above a calculated flood level. **FREEBOARD** compensates for the effects of any factors that contribute to flood heights greater than those calculated. These factors include but are not limited to ice jams, debris accumulation, wave action, obstruction of bridge openings and floodways, the effects of urbanization on the hydrology of the watershed, loss of flood storage areas due to development and aggradation of the river or stream bed.

**HABITABLE BUILDINGS.** Any building or portion thereof used for human habitation.

**HEARING NOTICE.** Publication or posting meeting requirements of Wis. Stats. Ch. 985. Class 1 notice is the minimum required for appeals, published once at least 1 week before the hearing. Class 2 notice is the minimum required for all zoning ordinances and amendments, including map amendments, published twice, once each week consecutively, the last at least a week before the hearing. Local ordinances or bylaws may require additional notice, exceeding these minimums.

**HIGH FLOOD DAMAGE POTENTIAL.** Damage that could result from flooding that includes any danger to life or health or any significant economic loss to a structure or building and its contents.

**HUMAN HABITATION.** A human residence or dwelling.

**INCREASE IN REGIONAL FLOOD HEIGHT.** A calculated upward rise in the regional flood elevation equal to or greater than 0.01 foot, resulting comparison of existing conditions and proposed conditions which is directly attributable to development in the floodplain, but not attributable to manipulation of mathematical variables, such as roughness factors, expansion and contraction coefficients and discharge.

**LAND USE.** Any nonstructural use made of unimproved or improved real estate. See definition of development.

**MAY.** The action referred to is permissive.

*MOBILE HOME* or *MANUFACTURED HOME*. A structure transportable in 1 or more sections, which is built on a permanent chassis and designed to be used with or without a permanent foundation when connected to the required utilities, excluding recreational vehicles and travel trailers.

*MUNICIPALITY* or *MUNICIPAL*. The county, city or village governmental units enacting, administering and enforcing this chapter.

*NGVD* or *NATIONAL GEODETIC VERTICAL DATUM*. Elevations referenced to mean sea level datum, 1929 adjustment.

*NONCONFORMING STRUCTURE*. An existing lawful structure or building which is not in conformity with the dimensional or structural requirements of this chapter for the area of the floodplain which it occupies (e.g., an existing residential structure in the Flood Fringe District is a conforming use; however, if the first floor is lower than the flood protection elevation, the structure is nonconforming).

*NONCONFORMING USE*. An existing lawful use or accessory use of a structure or building which is not in conformity with the provisions of this chapter for the area of the floodplain which it occupies, such as a residence in the floodway.

*OBSTRUCTION TO FLOW*. Any development which physically blocks the conveyance of floodwaters such that this development by itself or in conjunction with any future similar development will cause an increase in regional flood height.

*OFFICIAL FLOODPLAIN ZONING MAP*. That map, adopted and made part of this chapter as described in § 152.016, which has been approved by the Department of Natural Resources and FEMA.

*OPEN SPACE USE*. Those uses having a relatively low flood damage potential and not involving structures.

*ORDINARY HIGH WATERMARK*. The point on the bank or shore up to which the presence and action of surface water is so continuous as to leave a distinctive mark, such as by erosion, destruction or prevention of terrestrial vegetation, predominance of aquatic vegetation or other easily recognized characteristic.

*PERSON*. An individual or group of individuals, corporation, partnership, association, municipality or state agency.

*PRIVATE SEWAGE SYSTEM*. A sewage treatment and disposal system serving a single structure with a septic tank and soil absorption field located on the same parcel as the structure. This term also means an alternative sewage system approved by the Department of Industry, Labor and Human Relations, including a substitute for the septic tank or soil absorption field, holding tank, system serving more than 1 structure or a system located on a different parcel than the structure.

**PUBLIC UTILITIES.** Those utilities using underground or overhead transmission lines, such as electric, telephone and telegraph, and distribution and collection systems, such as water, sanitary sewer and storm sewer.

**REGIONAL FLOOD.** A flood determined to be representative of large floods known to have occurred in Wisconsin or which may be expected to occur on a particular lake, river or stream once in every 100 years.

**SHALL.** The action referred to is mandatory and not discretionary.

**STRUCTURE.** Any manmade object with form, shape and utility, either permanently or temporarily attached to, placed upon or set into the ground, stream bed or lake bed, which includes but is not limited to such objects as roofed and walled buildings, gas or liquid storage tanks, bridges, dams and culverts.

**SUBSTANTIAL IMPROVEMENT.**

(1) Any repair, reconstruction or improvement of a structure, the cost of which equals or exceeds 50% of the present equalized assessed value of the structure, either before the improvement or repair is started or, if the structure has been damaged and is being restored, before the damage occurred. For purposes of this definition, **SUBSTANTIAL IMPROVEMENT** is considered to occur when the first alteration of any wall, ceiling, floor or other structural part of the building commences, whether or not that alteration affects the external dimensions of the structure.

(2) The term does not, however, include either:

(a) Any project for improvement of a structure to comply with existing state or local health, sanitary or safety code specifications which are necessary solely to assure safe living conditions;

(b) Any alteration of a structure or site documented as deserving preservation by the State Historical Society or listed on the National Register of Historic Places; or

(c) Ordinary maintenance repairs are not considered structural repairs, modifications or additions. Such ordinary maintenance repairs include internal and external painting, decorating, paneling and the replacement of doors, windows and other nonstructural components.

**UNNECESSARY HARDSHIP.** That circumstance where special conditions affecting a particular property, which were not self-created, have made strict conformity with restrictions governing areas, setbacks, frontage, height or density unnecessarily burdensome or unreasonable in light of the purposes of this chapter.

**VARIANCE.** An authorization by the Board of Appeals for the construction or maintenance of a building or structure in a manner which is inconsistent with dimensional standards contained in this chapter.

***WATER SURFACE PROFILE.*** A graphical representation showing the elevation of the water surface of a watercourse for each position along a reach of river or stream at a certain flood flow. A ***WATER SURFACE PROFILE*** of the regional flood is used in regulating floodplain areas.

***WATERSHED.*** The entire region or area contributing runoff or surface water to a particular watercourse or body of water.

***WELL.*** An excavation opening in the ground made by digging, boring, drilling, driving or other methods for the purpose of obtaining groundwater regardless of its intended use.  
(1989 Code, § 18.05)

### ***REGULATIONS IN GENERAL***

#### **§ 152.015 AREAS TO BE REGULATED.**

Areas regulated by this chapter include all lands within the limits of the city that would be covered by the regional flood as defined in § 152.008, and include floodplain islands as defined in § 152.008 where emergency rescue and relief routes would be inundated by the regional flood.  
(1989 Code, § 18.10)

#### **§ 152.016 OFFICIAL MAP.**

(A) The boundaries of the floodplain districts, including the Floodway, Flood Fringe and other floodplain districts, are those areas designated as floodplains or A Zones on the official floodplain zoning map, which is incorporated herein by reference.  
(Am. Ord. 527, passed 8-2-1994)

(B) This map, dated July 16, 1987, has been approved by the Department of Natural Resources and the Federal Emergency Management Agency (FEMA) and is on file in the office of the City Clerk-Treasurer. If more than 1 map is referenced, the regional flood profiles govern boundary discrepancies according to § 152.018.  
(1989 Code, § 18.11)

#### **§ 152.017 ESTABLISHMENT OF DISTRICTS.**

The regional floodplain areas are hereby divided into 3 districts as follows:

(A) *Floodway District* (FIV). The channel of a river or stream and those portions of the floodplain adjoining the channel required to carry the regional floodwaters.

(B) *Flood Fringe District (FF)*. That portion of the floodplain between the regional flood limits and the floodway.

(C) *General Floodplain District (GFP)*. All areas which have been or may be hereafter covered by floodwater during the regional flood. It includes both the Floodway and Flood Fringe Districts. (1989 Code, § 18.12)

**§ 152.018 LOCATING FLOODPLAIN BOUNDARIES.**

(A) Where an apparent discrepancy exists between the location of the outermost boundary of the Flood Fringe District or General Floodplain District shown on the official floodplain zoning map and actual field conditions, the location shall be initially determined by the Zoning Administrator using the criteria in divisions (B)(1) and (2). Where the Zoning Administrator finds that there is a significant difference between the map and the actual field conditions, the map shall be amended using the procedures established in § 152.107. Disputes between the Zoning Administrator and an applicant over the location of the district boundary line shall be settled according to § 152.103(C).

(B) (1) Where flood profiles exist, the location of the district boundary line shall be determined by the Zoning Administrator using both the scale appearing on the map and the elevations shown on the water surface profile of the regional flood. Where a discrepancy exists between the map and actual field conditions, the regional flood elevations shall govern. A map amendment is required where there is a significant discrepancy between the map and actual field conditions. The Zoning Administrator shall have the authority to grant or deny a land use permit on the basis of a district boundary derived from the elevations shown on the water surface profile of the regional flood whether or not a map amendment is required. The Zoning Administrator shall be responsible for initiating any map amendments required under this section within a reasonable period of time.

(2) Where flood profiles do not exist, the location of the district boundary line shall be determined by the Zoning Administrator using the scale appearing on the map, visual on-site inspection and any available information provided by the Department. Where there is a significant difference between the map and actual field conditions, the map shall be amended. Where a map amendment has been approved by both the Common Council and the Department, the Zoning Administrator shall have the authority to grant or deny a land use permit.

(1989 Code, § 18.13)

**§ 152.019 REMOVAL OF LANDS FROM FLOODPLAIN.**

Compliance with the provisions of this chapter shall not be grounds for removing lands from the floodplain district, unless they are removed by filling to a height of at least 2 feet above the regional flood elevation, the fill is contiguous to land lying outside the floodplain district and the map is amended pursuant to § 152.107. To remove flood insurance requirements, FEMA must first revise the flood insurance rate map or issue a letter of map amendment or revision.

(1989 Code, § 18.14)

§ 152.020 COMPLIANCE.

Any development, as defined in § 152.008, or use within the areas regulated by this chapter shall be in full compliance with the terms of this chapter and other applicable local, state and federal regulations.

(1989 Code, § 18.15)

§ 152.021 MUNICIPALITIES AND STATE AGENCIES REGULATED.

Unless specifically exempted by law, all cities, villages, towns and counties are required to comply with this chapter and obtain all necessary permits. State agencies are required to comply if Wis. Stats. § 13.48(13) applies. The construction, reconstruction, maintenance and repair of state highways and bridges by the Wisconsin Department of Transportation are exempt when Wis. Stats. § 30.12 applies.

(1989 Code, § 18.16)

§ 152.022 ANNEXED AREAS.

The Iowa County floodplain zoning provisions in effect on the date of annexation shall remain in effect and shall be enforced by the city for all areas annexed by the city until the city adopts and enforces an ordinance which meets the requirements of Wis. Adm. Code, Ch. NR 116. These annexed lands are described on the city's official zoning map. County floodplain zoning provisions are incorporated by reference for the purpose of administering this section and are on file in the office of the City Zoning Administrator.

(1989 Code, § 18.21)

§ 152.023 GENERAL STANDARDS APPLICABLE TO ALL FLOODPLAIN DISTRICTS.

(A) No development, except as provided in division (B) below, shall be allowed in floodplain areas which will:

(1) Cause an obstruction to flow as defined in § 152.008 as any development which physically blocks the conveyance of floodwaters by itself or in conjunction with future similar development causing an increase in regional flood height; or

(2) Cause an increase in regional flood height due to floodplain storage area lost, which is equal to or exceeding 0.01 foot.

(B) Obstructions or increases equal to or greater than 0.01 foot may only be permitted if amendments are made to this chapter or the official floodplain zoning maps, including floodway lines and water surface profiles in accordance with § 152.107, and only if the total cumulative effect of the proposed development will not increase the height of the regional flood more than 1 foot for the affected hydraulic reach of the stream.

(C) The Zoning Administrator shall deny permits where it is determined the proposed development will cause an obstruction to flow or increase in regional flood height of 0.01 foot or greater. (1989 Code, § 18.22)

**§ 152.024 MOBILE HOMES AND MANUFACTURED HOMES.**

(A) Owners or operators of all manufactured or mobile home parks and subdivisions located in the regional floodplain shall provide for adequate surface drainage to minimize flood damage.

(B) All new, replacement and substantially improved manufactured or mobile homes to be placed or improved on a site located in the regional floodplain shall:

- (1) Be elevated to the flood protection elevation;
- (2) Meet the residential development standards for the floodfringe in § 152.057(A); and
- (3) Be anchored so they do not float, collapse or move laterally during a flood.

(1989 Code, § 18.23)

**§ 152.025 WATERCOURSE ALTERATIONS.**

Prior to any alteration or relocation of a watercourse and the issuance of any land use permit which may be required for the alteration or relocation of a watercourse, the local zoning official shall notify in writing adjacent municipalities, the appropriate district office of the Department of Natural Resources and the appropriate office of FEMA, and shall require the applicant to secure all necessary state and federal permits. The flood-carrying capacity within the altered or relocated portion of any watercourse shall be maintained.

(1989 Code, § 18.24)

**§ 152.026 DEVELOPMENT.**

Development which requires a permit from the Department of Natural Resources under Wis. Stats. Chs. 30 and 31, such as docks, piers, wharves, bridges, culverts, dams and navigational aids, may be allowed, provided the necessary local permits are obtained and necessary amendments to the official floodway lines, water surface profiles, floodplain zoning maps or this chapter are made according to § 152.107.

(1989 Code, § 18.25)

*FLOODWAY DISTRICT (FW)***§ 152.040 APPLICABILITY.**

The provisions of this section apply to all areas mapped as floodway on the official floodplain zoning maps and to those portions of the General Floodplain District determined to be floodway according to the procedures in § 152.073.

(1989 Code, § 18.30)

**§ 152.041 PERMITTED USES.**

The following open space uses are allowed in the Floodway District and the floodway portion of the General Floodplain District, providing they are not prohibited by any other ordinance, they meet the standards in § 152.042, and all permits or certificates have been issued according to § 152.101:

(A) Agricultural uses, such as general farming, pasturing, outdoor plant nurseries, horticulture, viticulture, truck farming, forestry, sod farming and wild crop harvesting;

(B) Nonstructural industrial and commercial uses, such as loading areas, parking areas and airport landing strips;

(C) Private and public recreational uses, such as golf courses, tennis courts, driving ranges, archery ranges, picnic grounds, boat launching ramps, swimming areas, parks, wildlife and nature preserves, game farms, fish hatcheries, shooting preserves, target ranges, trap and skeet ranges, hunting and fishing areas, and hiking and horseback riding trails;

(D) Uses or structures accessory to open space uses or essential for historical areas that are not in conflict with the provisions in §§ 152.042 and 152.043;

(E) Extraction of sand, gravel or other materials according to § 152.042(D);

(F) Functionally water dependent uses, such as docks, piers or wharves, including those used as part of a marina, and other water-related uses, such as dams, flowage areas, culverts, navigational aids and river crossings of transmission lines and pipelines, according to Wis. Stats. Chs. 30 and 31; and

(G) Public utilities, streets and bridges according to § 152.042(C).  
(1989 Code, § 18.31)



**§ 152.042 STANDARDS FOR DEVELOPMENT IN FLOODWAY AREAS.**

(A) *General.*

(1) Any development in floodway areas shall meet all of the provisions of § 152.023 and have a low flood damage potential.

(2) Applicants shall provide the following data for the Zoning Administrator to determine the effects of the proposal according to § 152.023(A):

(a) A cross-section elevation view of the proposal, perpendicular to the watercourse, indicating whether the proposed development will obstruct flow; or

(b) An analysis calculating the effects of this proposal on regional flood height.

(3) The Zoning Administrator shall deny the permit application where it is determined the project will increase flood elevations upstream or downstream 0.01 foot or more, based on the data submitted for division (A)(2) above.

(B) *Structures.* Only structures which are accessory to permitted open space uses, are essential for historical areas or are functionally dependent on a waterfront location may be allowed by permit, provided the structures meet all of the following criteria:

(1) The structures are not designed for human habitation;

(2) The structures are constructed and placed on the building site so as to cause an increase less than 0.01 foot in flood height and offer minimum obstruction to the flow of floodwaters. Structures shall be constructed with the longitudinal axis parallel to the direction of flow of floodwaters and approximately on the same line as those of adjoining structures;

(3) The structures are firmly anchored to prevent them from floating away and restricting bridge openings or other restricted sections of the stream or river; and

(4) The structures have all service facilities, such as electrical and heating equipment, at or above the flood protection elevation for the particular area.

(C) *Utilities, streets and bridges.* Public utilities, streets and bridges may be allowed by permit, provided that:

(1) Adequate floodproofing measures are provided to the flood protection elevation; and

(2) Construction does not cause an increase in the regional flood height according to § 152.023(A), except where the water surface profiles, floodplain zoning maps and this chapter are amended as needed to reflect any changes resulting from such construction.

(D) *Fills, deposition of materials.* Fills or deposition of materials may be allowed by permit, provided that:

(1) The requirements of § 152.023(B) are met;

(2) The fill or deposition of materials does not encroach on the channel area between the ordinary high watermark on each bank of the stream unless a permit has been granted by the Department of Natural Resources pursuant to Wis. Stats. Ch. 30, and a permit pursuant to § 404 of the Federal Water Pollution Control Act, Amendments of 1972, 33 U.S.C. § 1334 has been issued, if applicable, and the other requirements of this section are met;

(3) The fill or other materials will be protected against erosion by riprap, vegetative cover, sheet piling or bulkheading sufficient to prevent erosion; and

(4) The fills are not associated with private or public solid waste disposal.  
(1989 Code, § 18.32)

#### **§ 152.043 PROHIBITED USES.**

All uses not listed as permitted uses in § 152.041 are prohibited within the Floodway District and in the floodway portion of the General Floodplain District, including the following uses which are always prohibited in the floodway:

(A) Structures designed for human habitation associated with high flood damage potential or not associated with permanent open space uses;

(B) The storage of any materials that are capable of floating, flammable, explosive or injurious to property, water quality or human, animal, plant or other aquatic life;

(C) Any uses which are not in harmony with or which may be detrimental to the uses permitted in the adjoining districts;

(D) Any private or public sewage disposal systems, except portable latrines that are removed during flooding and systems associated with recreational areas and Department approved campgrounds that meet the applicable provisions of local ordinances and Wis. Adm. Code, Ch. **ILHR 83**;

(E) Any public or private wells which are used to obtain water for ultimate human consumption, except those for recreational areas that meet the requirements of local ordinances and Wis. Adm. Code, Chs. 111 and 112;

(F) Any solid and hazardous waste disposal sites, whether public or private;

(G) Any wastewater treatment ponds or facilities, except those permitted under Wis. Adm. Code § 110.15(3)(b); and

(H) Any sanitary sewer or water supply lines, except those to service existing or proposed development outside the floodway which complies with the regulations for the floodplain area occupied. (1989 Code, § 18.33)

**FLOOD FRINGE DISTRICT (FF)**

**§ 152.055 APPLICABILITY.**

The provisions of this section apply to all areas within the Flood Fringe District as shown on the official floodplain zoning maps and to those portions of the General Floodplain District that are determined to be in the flood fringe area, pursuant to § 152.073. (1989 Code, § 18.35)

**§ 152.056 PERMITTED USES.**

Any structures, land use or development, including accessory structures and uses, are allowed within the Flood Fringe District and flood fringe portions of the General Floodplain District, provided that the standards contained in § 152.057 are met, that the use is not prohibited by this chapter, any other ordinance or any other local, state or federal regulation and all permits or certificates specified in § 152.101 have been issued. (1989 Code, § 18.36)

**§ 152.057 STANDARDS FOR DEVELOPMENT IN FLOOD FRINGE AREAS.**

All of the provisions of § 152.023(A) shall apply in addition to the following requirements according to the use requested:

(A) *Residential uses.* Any structure or building used for human habitation which is to be erected, constructed, reconstructed, altered or moved into the flood fringe area shall meet or exceed the following standards:

(1) The elevation of the lowest floor, excluding the basement or crawlway, shall be at or above the flood protection elevation, which is a point 2 feet above the regional flood elevation, on fill, except where division (A)(2) below is applicable. The fill elevation shall be 1 foot or more above the regional flood elevation extending at least 15 feet beyond the limits of the structure. The Department may authorize other floodproofing measures where existing streets or sewer lines are at elevations which make compliance impractical, provided the Board of Appeals grants a variance due to dimensional restrictions.

**Mineral Point - Land Usage**

(2) The basement or crawlway floor may be placed at the regional flood elevation, provided it is floodproofed to the flood protection elevation. No permit or variance shall allow any floor, basement or crawlway below the regional flood elevation.

(3) Contiguous dry land access, as defined in § 152.008 as a vehicle access route above regional flood elevation, shall be provided from a structure or building to land which is outside of the floodplain, except as provided in division (A)(4) below.

(4) In existing developments where existing streets or sewer lines are at elevations which make compliance with division (A)(3) impractical, the city may permit new development and substantial improvements where access roads are at or below the regional flood elevation, provided:

(a) The city has written assurance from the appropriate local units of police, fire and emergency services that rescue and relief will be provided to the structures by wheeled vehicles, considering the anticipated depth, duration and velocity of the regional flood event; or

(b) The city has an adequate natural disaster plan concurred with the Division of Emergency Government and approved by the Department.

*(B) Accessory structures or uses.* An accessory structure or use, as defined in § 152.008, not connected to a principal structure, including nonresidential agricultural structures, shall meet all the applicable provisions of §§ 152.042(A), (B) and (D) and 152.043. A lesser degree of protection compatible with these criteria and the criteria in division (C) of this section may be permissible for an accessory structure or use, provided that the site is not inundated to a depth greater than 2 feet or subjected to flood velocities greater than 2 feet per second during the regional flood.

*(C) Commercial uses.* Any commercial structure or building which is to be erected, constructed, reconstructed, altered or moved into the flood fringe area shall meet the requirements of division (A) above. Storage yards, parking lots and other accessory structures or land uses may be at lower elevations, subject to the requirements of division (E) below. However, no such area in general use by the public shall be inundated to a depth greater than 2 feet or subjected to flood velocities greater than 2 feet per second during the regional flood. Inundation of such yards or parking areas exceeding 2 feet may be allowed provided an adequate warning system exists to protect life and property.

*(D) Manufacturing and industrial uses.* Any manufacturing, agricultural or industrial structure or building which is to be erected, constructed, reconstructed, altered or moved into the flood fringe area shall be protected to the flood protection elevation utilizing fill, levees, flood walls, adequate floodproofing measures in accordance with § 152.105 or any combination thereof. On streams or rivers having prolonged flood durations greater protection may be required to minimize interference with normal plant operations. A lesser degree of protection, compatible with the criteria in divisions (C) and (E) of this section may be permissible for storage yards, parking lots and other accessory structures or uses.

*(E) Storage or processing of materials.* The storage or processing of materials that are buoyant, flammable, explosive or which in times of flooding could be injurious to property, water quality or

human, animal, plant, fish or aquatic life shall be at or above the flood protection elevation for the particular area or floodproofed in compliance with § 152.105. Adequate measures shall be taken to assure that such materials will not enter the river or stream during flooding.

(F) *Public utilities, streets and bridges.* All utilities, streets and bridges should be designed to be compatible with the local comprehensive floodplain development plans and:

(1) When failure or interruption of public utilities, streets and bridges would result in danger to the public health or safety or where the facilities are essential to the orderly functioning of the area, construction of and substantial improvements to the facilities may only be permitted if they are floodproofed in compliance with § 152.105 to the flood protection elevation.

(2) Minor or auxiliary roads or nonessential utilities may be constructed at lower elevations, provided they withstand flood forces to the regional flood elevation.

(G) *Sewage systems.* All on-site sewage disposal systems shall be floodproofed to the flood protection elevation and shall meet the applicable provisions of all local ordinances and Wis. Adm. Code Ch. NR 110.

(H) *Wells.* All public or private wells shall be flood-proofed to the flood protection elevation pursuant to § 152.105 and shall meet the applicable provisions of Wis. Adm. Code, Ch. NR 812.

(I) *Solid waste disposal sites.* All public or private solid or hazardous waste disposal sites are prohibited in flood fringe areas.

(J) *Deposition of materials.* Any materials deposited for any purpose may only be allowed if all the provisions of this chapter are met.  
(1989 Code, § 18.37)

***GENERAL FLOODPLAIN DISTRICT (GFP)***

**§ 152.070 APPLICABILITY.**

The provisions for this district shall apply to all floodplains for which regional flood data, as defined in § 152.008, is not available or where regional flood data is available but floodways have not been delineated. As adequate regional flood data becomes available and floodways are delineated for portions of this district, those portions shall be designated in the Flood Fringe District or Floodway District, as appropriate.

(1989 Code, § 18.40)

### § 152.071 PERMITTED USES.

The General Floodplain District encompasses both floodway and flood fringe areas. Therefore, a determination shall be made pursuant to § 152.073 to determine whether the proposed use is located within a floodway or flood fringe area. Those uses permitted in floodways (§ 152.041) and flood fringe areas (§ 152.056) are allowed within the General Floodplain District, according to the standards of § 152.072 and provided that all permits or certificates required under § 152.101 have been issued. (1989 Code, § 18.41)

### § 152.072 STANDARDS FOR DEVELOPMENT IN THE GENERAL FLOODPLAIN DISTRICT.

Once it is determined according to § 152.073 that a proposed use is located within a floodway, the provisions of §§ 152.040 through 152.043 shall apply. Once determined that the proposed use is located within the flood fringe, the provisions of §§ 152.055 through 152.057 shall apply. All provisions of the remainder of this subchapter apply to either district. (1989 Code, § 18.42)

### § 152.073 DETERMINING FLOODWAY AND FLOOD FRINGE LIMITS.

Upon receiving an application for development within the General Floodplain District, the Zoning Administrator shall:

(A) Require the applicant to submit at the time of application 2 copies of an aerial photograph or a plan which accurately locates the proposed development with respect to the General Floodplain District limits, channel of stream, existing floodplain developments, together with all pertinent information, such as the nature of the proposal, legal description of the property, fill limits and elevations, building floor elevations and floodproofing measures;

(B) Require the applicant to furnish any of the following additional information as is deemed necessary by the Department for evaluation of the effects of the proposal upon flood height and flood flows, the regional flood elevation and, where applicable, to determine the boundaries of the floodway:

(1) A typical valley cross-section showing the channel of the stream, the floodplain adjoining each side of the channel, the cross-sectional area to be occupied by the proposed development and all historic high water information;

(2) Plan (surface view) showing elevations or contours of the ground; pertinent structure, fill or storage elevations; size, location and spatial arrangement of all proposed and existing structures on the site; location and elevations of streets, water supply and sanitary facilities; soil types and other pertinent information;

(3) Profile showing the slope of the bottom of the channel or flow line of the stream; and

(4) Specifications for building construction and materials, floodproofing, filling, dredging, channel improvement, storage of materials, water supply and sanitary facilities.

(C) Transmit 1 copy of the information described in divisions (A) and (B) above to the Department district office along with a written request for technical assistance to establish regional flood elevations and, where applicable, floodway data. Where the provisions of § 152.101(B)(3) apply, the applicant shall provide all required information and computations to delineate floodway boundaries and the effects of the project on flood elevations.

(1989 Code, § 18.43)

*NONCONFORMING USES*

**§ 152.085 GENERAL.**

(A) Insofar as the standards in this subchapter are not inconsistent with the provisions of Wis. Stats. § 62.23(7)(h), they shall apply to all nonconforming uses and structures. These regulations apply to the modification of or addition to any structure and to the use of any structure or premises which was lawful before the passage of this chapter or any amendment thereto.

(B) The existing lawful use of a structure, building or its accessory use which is not in conformity with the provisions of this chapter may continue, subject to the following conditions:

(1) No modifications or additions to a nonconforming use or structure shall be permitted unless they are made in conformity with the provisions of this chapter for the area of the floodplain occupied. The words "modification" and "addition" include but are not limited to any alteration, addition, modification, structural repair, rebuilding or replacement of any such existing use, structure or accessory structure or use. Ordinary maintenance repairs are not considered modifications or additions. These include internal and external painting, decorating, paneling and the replacement of doors, windows and other nonstructural components and the maintenance, repair or replacement of existing private sewage or water supply systems or connections to public utilities;

(2) If a nonconforming use or the use of a nonconforming structure is discontinued for 12 consecutive months, it is no longer permitted and any future use of the property and any structure or building thereon shall conform to the applicable requirements of this chapter;

(3) As requests are received by the city for modifications or additions to nonconforming uses or structures, a record shall be kept which lists the nonconforming uses and structures, their present equalized assessed value and the cost of those additions or modifications which have been permitted;

(4) No modification or addition to any nonconforming structure or any structure with a nonconforming use, which over the life of the structure would exceed 50% of its present equalized assessed value, shall be allowed unless the entire structure is permanently changed to a conforming

structure with a conforming use in compliance with the applicable requirements of this chapter, and contiguous dry land access is provided in compliance with § 152.057(A); and

(5) If any nonconforming structure or any structure with a nonconforming use is destroyed or is so badly damaged that it cannot be practicably restored, it cannot be replaced, reconstructed or rebuilt unless the use and the structure meet the requirements of this chapter. For the purpose of this subchapter, restoration is deemed impractical where the total cost of the restoration would exceed 50% of the present equalized assessed value of the structure.

(1989 Code, § 18.45)

### **§ 152.086 FLOODWAY AREAS.**

(A) No modification or addition shall be allowed to any nonconforming structure or any structure with a nonconforming use in a floodway area, unless the modification or addition:

- (1) Has been granted a permit or variance;
- (2) Meets the requirements of § 152.085;
- (3) Will not increase the obstruction to flood flows or regional flood height; and

(4) Any addition to the existing structure shall be floodproofed, pursuant to § 152.105, by means other than the use of fill to the flood protection elevation.

(B) No new on-site sewage disposal system or addition to an existing on-site sewage disposal system, except where an addition has been ordered by a government agency to correct a hazard to public health, shall be allowed in a floodway area. Any replacement, repair or maintenance of an existing on-site sewage disposal system in a floodway area shall meet the applicable requirements of all city ordinances and Wis. Adm. Code, Ch. NR 110.

(C) No new well or modification to an existing well used to obtain water for ultimate human consumption shall be allowed in a floodway area. Any replacement, repair or maintenance of an existing well in a floodway area shall meet the applicable requirements of all city ordinances and Wis. Adm. Code, Ch. NR 812.

(1989 Code, § 18.46)

### **§ 152.087 FLOOD FRINGE AREAS.**

(A) No modification or addition shall be allowed to any nonconforming structure or any structure with a nonconforming use unless the modification or addition has been granted a permit or variance by the city. In addition, the modification or addition shall be placed on fill or floodproofed to the flood protection elevation in compliance with the standards for that particular use in § 152.057, except where division (B) is applicable.



(B) Where compliance with the provisions of division (A) above would result in unnecessary hardship and only where the structure will not be used for human habitation or be associated with a high flood damage potential, the Board of Appeals, using procedures established in § 152.103, may grant a variance from those provisions of division (A) for modifications or additions using the criteria listed below. Modifications or additions which are protected to elevations lower than the flood protection elevation may be permitted provided:

- (1) No floor is allowed below the regional flood elevation for residential or commercial structures;
- (2) Human lives are not endangered;
- (3) Public facilities, such as water or sewer, will not be installed;
- (4) Flood depths will not exceed 2 feet;
- (5) Flood velocities will not exceed 2 feet per second; and
- (6) The structure will not be used for storage of materials described in § 152.057(E).

(C) If neither the provisions of divisions (A) or (B) above can be met, an addition to an existing room in a nonconforming building or a building with a nonconforming use may be allowed in the flood fringe on a 1-time basis only if the addition:

- (1) Meets all other regulations and will be granted by permit or variance;
- (2) Does not exceed 60 square feet in area; and
- (3) In combination with other previous modifications or additions to the building, does not exceed 50% of the present equalized assessed value of the building.

(D) All new private sewage disposal systems or addition to, replacement, repair or maintenance of a private sewage disposal system shall meet all the applicable provisions of all local ordinances and Wis. Adm. Code, Ch. NR 110.

(E) All new wells or addition to, replacement, repair or maintenance of a well shall meet the applicable provisions of this chapter and Wis. Adm. Code, NR 812. (1989 Code, § 18.47)

*ADMINISTRATION AND ENFORCEMENT***§ 152.100 GENERAL.**

This subchapter provides for the appointment of appropriate boards and staff and the development of necessary policies and procedures to administer this chapter. Where a Zoning Administrator, planning agency or Board of Appeals has already been appointed to administer a zoning ordinance adopted under Wis. Stats. § 62.23(7), these officials shall also administer this chapter. (1989 Code, § 18.50)

**§ 152.101 ZONING ADMINISTRATOR.**

(A) *Duties and powers.* The Zoning Administrator is hereby authorized to administer the provisions of this chapter and shall have the following duties and powers:

(1) Advise applicants of the provisions of this chapter, assist them in preparing permit applications and appeals and assure that the regional flood elevation for the proposed development is shown on all permit applications;

(2) Issue permits and inspect properties for compliance with provisions of this chapter and issue certificates of compliance where appropriate;

(3) Keep records of all official actions, such as:

(a) All permits issued;

(b) Inspections made;

(c) Work approved;

(d) Documentation of certified lowest floor and regional flood elevations for floodplain development; and

(e) Records of water surface profiles, floodplain zoning maps and ordinances, nonconforming uses and structures, including changes, appeals, variances and amendments.

(4) Submit copies of the following items to the Department district office:

(a) Within 10 days of the decision, a copy of any decisions on variances, appeals for map or text interpretations and map or text amendments; and

(b) Copies of any case-by-case analyses and any other information required by the Department, including an annual summary of the number and types of floodplain zoning actions taken.

(5) Investigate, prepare reports and report violations of this chapter to the appropriate city zoning agency and the City Attorney for prosecution. Copies of the violation reports shall also be sent to the Department district office; and

(6) Submit copies of text and map amendments and biennial reports to the regional office of FEMA.

(B) *Land use permit.* A land use permit shall be obtained from the Zoning Administrator before any new development, as defined in § 152.008, or any change in the use of an existing building or structure, including sewage disposal systems and water supply facilities, may be initiated. Application shall be made to the Zoning Administrator upon furnished application forms and shall include the following data:

(1) *General information.*

(a) Name and address of the applicant, property owner and contractor/builder; and

(b) Legal description of the property, type of proposed use and an indication as to whether new construction or a modification to an existing structure is involved.

(2) *Site development plan.* The site development plan shall be drawn to scale and submitted as a part of the permit application form and shall contain the following information:

(a) Location, dimensions, area and elevation of the lot;

(b) Location of the ordinary high watermark of any abutting navigable waterways;

(c) Location of any structures with distances measured from the lot lines and centerline of all abutting streets or highways;

(d) Location of any existing or proposed on-site sewage systems or private water supply systems;

(e) Location and elevation of existing or future access roads;

(f) Location of floodplain and floodway limits on the property as determined from the official floodplain zoning maps;

(g) The elevation of the lowest floor of proposed buildings and any fill using National Geodetic and Vertical Datum (NGVD);

## Mineral Point - Land Usage

(h) Data sufficient to determine the regional flood elevation at the location of the development and to determine whether or not the requirements of §§ 152.040 through 152.043 and 152.055 through 152.057 are met; and

(i) Data sufficient to determine if the proposed development will cause either an obstruction to flow or an increase in regional flood height or discharge according to § 152.023(A). This may include any of the information noted in § 152.042(A).

(3) *Data requirements to analyze developments.*

(a) The applicant shall provide all survey data and computations required to show the effects of the project on flood heights, velocities and floodplain storage for all subdivision proposals as subdivision is defined in Wis. Stats. § 236.02(12), and other proposed developments exceeding 5 acres in area or where the estimated cost exceeds \$125,000. The applicant shall provide:

1. An analysis of the effect of the development on the regional flood profile, velocity of flow and floodplain storage capacity;
2. A map showing location and details of vehicular access to lands outside the floodplain; and
3. A surface drainage plan with adequate details showing how flood damage will be minimized.

(b) The estimated cost of the proposal shall include all structural development, landscaping improvements, access and road development, electrical and plumbing and similar items reasonably applied to the overall development costs, but may not include land costs.

(c) The Department will determine elevations and evaluate the proposal where the applicant is not required to provide computations as above and inadequate data exists. The city may transmit additional information, such as the data in § 152.073(B) where appropriate, to the Department with the request for analysis.

(d) All permits issued under the authority of this chapter shall expire 6 months/1 year from the date of issuance.

(C) *Certificate of compliance.* No land shall be occupied or used and no building which is hereafter constructed, altered, added to, modified, rebuilt or replaced shall be occupied until a certificate of compliance is issued by the Zoning Administrator, except where no permit is required, subject to the following provisions:

(1) The certificate of compliance shall show that the building, premises or part thereof and the proposed use conform to the provisions of this chapter;

(2) Application for the certificate shall be concurrent with the application for a permit;

(3) The certificate of compliance shall be issued within 10 days after notification of completion of the work specified in the permit, providing the building, premises or proposed use conforms with all the provisions of this chapter; and

(4) The applicant shall submit a certification signed by a registered professional engineer or land surveyor that the fill, lowest floor and floodproofing elevations are in compliance with the permit issued. Floodproofing measures also require certification by a registered professional engineer or architect that floodproofing adequacy meets the requirements of § 152.105.

(D) *Other permits.* It is the responsibility of the applicant to secure all other necessary permits from all appropriate federal, state and local agencies, including those required by the U.S. Army Corps of Engineers under § 404 of the Federal Water Pollution Control Act, Amendments of 1972, 33 U.S.C. § 1334.

(1989 Code, § 18.51)

**§ 152.102 ZONING AGENCY.**

(A) The zoning agency or committee shall oversee the functions of the office of the Zoning Administrator, review and make recommendations to the Board on all proposed amendments to the floodplain zoning ordinance map and text and maintain a complete public record of all its proceedings.

(B) The zoning agency shall not grant variances to the terms of this chapter nor amend the text or zoning maps in place of official action by the Board of Appeals or Common Council.

(1989 Code, § 18.52)

**§ 152.103 BOARD OF APPEALS.**

The Board of Appeals created under Wis. Stats. § 62.23(7)(e) is hereby authorized or shall be appointed as the Board of Appeals for the purposes of this chapter. The Board of Appeals shall exercise the powers conferred by the Wisconsin Statutes and adopt rules for the conduct of business. The Zoning Administrator may not be the secretary of the Board.

(A) *Powers and duties.* The Board of Appeals shall:

(1) Hear and decide appeals where it is alleged there is error in any order, requirement, decision or determination made by an administrative official in the enforcement or administration of this chapter;

(2) Hear and decide disputes concerning the district boundaries shown on the official floodplain zoning map; and

(3) Hear and decide upon appeal variances from the dimensional standards of this chapter.

**Mineral Point - Land Usage***(B) Appeals to the Board.*

*(1) Filing.* Appeals to the Board may be taken by any person aggrieved or by any officer, department, board or bureau of the city affected by any decision of the Zoning Administrator or other administrative officer. Such appeal shall be taken within 30 days and as provided by the rules of the Board by filing with the official whose decision is in question and with the Board a notice of appeal, specifying the reasons for the appeal. The official whose decision is in question shall transmit to the Board all papers constituting the record concerning the matter appealed.

*(2) Notice and hearing, including variances.**(a) Notice.* The Board shall:

1. Fix a reasonable time for the hearing;
2. Publish adequate Class 1 or 2 notice, pursuant to Wisconsin Statutes, specifying the date, time, place and subject of the hearing; and
3. Assure that notice shall be mailed to the parties in interest and the district office of the Department at least 10 days in advance of the hearing.

*(b) Hearing.* Any party may appear in person or by agent or attorney. The Board shall:

1. Resolve boundary disputes according to division (C) below;
2. Decide variance applications according to division **(D)** below; and
3. Decide appeals of permit denials according to § 152.104.

*(c) Decision.* The final decision regarding the appeal or variance application shall:

1. Be made within a reasonable time;
2. Be sent to the district office of the Department within 10 days of the decision;
3. Be a written determination signed by the chairperson or secretary of the Board;
4. State the specific facts which are the basis for the Board's decision;
5. Either affirm, reverse, vary or modify the order, requirement, decision or determination appealed in whole or in part, dismiss the appeal for lack of jurisdiction or grant or deny the application for a variance; and

6. Include the reasons or justifications for granting an appeal with a description of the hardship or practical difficulty demonstrated by the applicant in the case of a variance, clearly stated in the recorded minutes of the Board proceedings.

(C) *Boundary disputes.* The following procedure shall be used by the Board of Appeals in hearing disputes concerning the district boundaries shown on the official floodplain zoning map:

(1) Where a floodplain district boundary is established by approximate or detailed floodplain studies, the regional flood elevations or profiles for the point in question shall be the governing factor in locating the district boundary. If no regional flood elevations or profiles are available to the Board, other available evidence may be examined.

(2) In all cases the person contesting the location of the district boundary shall be given a reasonable opportunity to present arguments and technical evidence to the Board of Appeals.

(3) Where it is determined that the district boundary is incorrectly mapped, the Board should inform the Zoning Committee or the person contesting the location of the boundary to petition the Common Council for a map amendment according to § 152.107.

(D) *Variance.*

(1) The Board of Appeals may upon appeal grant a variance from the dimensional standards of this chapter where an applicant convincingly demonstrates that:

(a) Literal enforcement of the provisions of this chapter will result in practical difficulty or unnecessary hardship on the applicant;

(b) The hardship is due to adoption of this chapter and special conditions unique to the property not common to a group of adjacent lots or premises. In such case the ordinance or map must be amended;

(c) The variance is not contrary to the public interest; and

(d) The variance is consistent with the purpose of this chapter stated in § 152.003.

(2) A variance shall not:

(a) Grant, extend or increase any use of property prohibited in the zoning district;

(b) Be granted for a hardship based solely on an economic gain or loss;

(c) Be granted for a hardship which is self-created;

(d) Damage the rights or property values of other persons in the area;

**Mineral Point - Land Usage**

(e) Permit a lower degree of flood protection in the floodplain than the flood protection elevation;

(f) Allow any floor, basement or crawlway below the regional flood elevation for residential or commercial structures; or

(g) Allow actions without the amendments to this chapter or maps described in § 152.107(A).

(3) When a variance is granted in a floodplain area, the Board shall notify the applicant in writing that increased flood insurance premiums may result. A copy of this notification shall be maintained with the variance appeal record.

(1989 Code, § 18.53)

**§ 152.104 TO REVIEW APPEALS OF PERMIT DENIALS.**

(A) The zoning agency (§ 152.102) or Board of Appeals shall review all data constituting the basis for the appeal of permit denial. This data may include, where appropriate:

(1) Permit application data listed in § 152.101(B);

(2) Floodway/flood fringe determination data in § 152.073;

(3) Data listed in § 152.042(A)(2)(b) where the applicant has not submitted this information to the Zoning Administrator; and/or

(4) Other data submitted to the Zoning Administrator with the permit application or submitted to the Board with the appeal.

(B) For appeals of all denied permits the Board shall:

(1) Follow the procedures of § 152.103;

(2) Consider zoning agency recommendations; and

(3) Either uphold the denial or grant the appeal.

(C) For appeals concerning increases in regional flood elevation, the Board shall:

(1) Uphold the denial where the Board agrees with the data showing an increase in flood elevation. Increases equal to or greater than 0.01 foot may only be allowed after amending the flood profile and map and any appropriate legal arrangements are made with all adversely affected property owners.



(2) Grant the appeal where the Board agrees that the data properly demonstrates that the project does not cause an increase equal to or greater than 0.01 foot, provided no other reasons for denial exist. (1989 Code, § 18.54)

**§ 152.105 FLOODPROOFING.**

(A) Where floodproofing measures as defined in § 152.008 are required, they shall be designed to:

(1) Withstand the flood pressures, depths, velocities, uplift and impact forces and other factors associated with the regional flood;

(2) Assure protection to the flood protection elevation;

(3) Provide anchorage of structures to foundations to resist flotation and lateral movement; and

(4) Ensure that the structural walls and floors are watertight to the flood protection elevation and the interior remains completely dry during flooding without human intervention.

(B) No permit or variance shall be issued until the applicant submits a plan or document certified by a registered professional engineer or architect that the floodproofing measures are adequately designed to protect the structure or development to the flood protection elevation.

(C) Floodproofing measures could include:

(1) Reinforcement of walls and floors to resist rupture or collapse caused by water pressure or floating debris;

(2) Addition of mass or weight to structures to prevent flotation;

(3) Placement of essential utilities above the flood protection elevation;

(4) Surface or subsurface drainage systems, including pumping facilities, to relieve external foundation wall and basement floor pressures;

(5) Construction of water supply wells and waste treatment systems to prevent the entrance of floodwaters into the systems; and/or

(6) Cutoff valves on sewer lines or elimination of gravity flow basement drains. (1989 Code, § 18.55)

**§ 152.106 PUBLIC INFORMATION.**

(A) Where useful, marks on bridges or buildings or other markers may be set to show the depth of inundation during the regional flood at appropriate locations within the floodplain.

(B) All available information in the form of maps, engineering data and regulations shall be readily available and should be widely distributed.

(C) All legal descriptions of property in the floodplain should include information relative to the floodplain zoning classification when the property is transferred.  
(1989 Code, § 18.56)

**§ 152.107 AMENDMENTS.**

(A) *General.* The Common Council may change or supplement the boundaries of the Floodplain Zoning Districts and the regulations contained in this chapter in the manner provided by law. Actions which require an amendment include but are not limited to the following:

(1) Any change to the official floodplain zoning map, including the floodway line or boundary of any floodplain area;

(2) Correction of significant discrepancies between the water surface profiles and floodplain zoning maps;

(3) Any fill in the floodplain which raises the elevation of the filled area to a height at or above the flood protection elevation and is contiguous to land lying outside the floodplain;

(4) Any fill or encroachment into the floodplain that will obstruct flow causing an increase of 0.01 foot or more in regional flood height; and

(5) Any upgrading of floodplain zoning ordinances text required by Wis. Adm. Code, § 116.05, or otherwise required by law or for changes by the city.

(B) *Procedures.* Amendments to this chapter may be made upon petition of any interested party according to the provisions of Wis. Stats. § 62.23. Such petitions shall include any necessary data required by §§ 152.073 and 152.101(B).

(1) Copies of any amendment proposed shall be referred to the zoning agency described in § 152.102 for a public hearing and recommendation to the Common Council. Copies of the proposed amendment and notice of the public hearing shall be submitted to the appropriate district office of the Department of Natural Resources for review prior to the hearing. The amendment procedure shall comply with the provisions of Wis. Stats. § 62.23.

(2) No amendment to the maps or text of this chapter shall become effective until reviewed and approved by the Department.

(3) All persons petitioning for a map amendment which involves an obstruction to flow causing an increase of 0.01 foot or more in the height of the regional flood shall obtain flooding easements or other appropriate legal arrangements from all adversely affected property owners and local units of government before the amendment can be approved by the Common Council.

(4) When considering amendments to the official floodplain zoning map in areas where no water surface profiles exist, the zoning agency or Board shall consider data submitted by the Department, the Zoning Administrator's visual on-site inspections and other available information.

(1989 Code, § 18.57)

*Cross-reference:*

*Floodplain boundaries, see § 152.018*

**§ 152.108 ENFORCEMENT.**

Any violation of the provisions of this chapter by any person shall be unlawful and shall be referred to the City Attorney who shall expeditiously prosecute all such violators.

(1989 Code, § 18.58) Penalty, see § 152.999

**§ 152.999 PENALTY.**

A violator of the provisions of this chapter shall upon conviction forfeit to the city a penalty of not less than \$10 and not more than \$200, together with a taxable cost of that action. Each day of continued violation shall constitute a separate offense. Every violation of this chapter is a public nuisance and the creation may be enjoined and the maintenance may be abated by action at suit of the city, state or any citizen thereof, pursuant to Wis. Stats. § 87.30.

(1989 Code, § 18.58)

